Number 1 8ad<20010124 and discover\$ with network with configur\$ and protocols same SLP same LDAP same DNS same DHCP USPAT; US-FORUB; DSTAME LDAP same DNS same DHCP USPAT; US-FORUB; DSTAME With configur\$ and protocols same (SLP or LDAP or DNS or DHCP) USPAT; US-FORUB; DSTAME With configur\$ and protocols same (SLP or LDAP or DNS or DHCP) USPAT; US-FORUB; DSTAME With configur\$ and protocols same (SLP or LDAP or DNS or DHCP) USPAT; US-FORUB; DSTAME With configur\$ and protocols USPAT; US-FORUB; DSTAME With configur\$ and protocols USPAT; US-FORUB; DSTAME With configur\$ and protocols and database USPAT; US-FORUB; DSTAME With configur\$ and protocols and database USPAT; US-FORUB; DSTAME USPAT;	[;	Hits	Search Text	I DB	Mina stanu
with configurs and protocols same SLP same LDAP same DNS ame DHCP Same LDAP same DNS ame DHCP September September Superior	L . Number	HITS	Search Text	DB	Time stamp
Same LDAP same DNS same DHCP		1		USPAT;	2004/06/21
2				1	09:35
2			same LDAP same DNS same DHCP		
2				1 '	
With configurs and protocols same (SLP or LDAP or DNS or DHCP) LDAP or DNS o	2	52	@ad<20010124 and discovers with network	ı —	2004/06/21
LDAP or DNS or DHCP EPO; JPO; DERWENT; IBM TDB US-PGPUB; EPO; JPO; DERWENT; IBM TDB US-		"		1 '	1
18M TDB					
203 @ad<20010124 and discover\$ with network with configur\$ and protocols USPAT; USPAT					
### with configur\$ and protocols US-PGPUB; EPO; JPO; DERWENT; IBM TDB 2004/06/21 11:48 EPO; JPO; DERWENT; IBM TDB 2004/06/21 11:51 EPO; JPO; JPO; DERWENT; IBM TDB 2004/06/21 11:53 EPO; JPO; JPO; DERWENT; IBM TDB 2004/06/21 11:55 EPO; JPO; JPO;					
## 134 ## 20010124 and discover\$ with network with configur\$ and protocols and database ## 2004/06/21 ## 200	3	203		· · · · · · · ·	, , , ,
134 @ad<20010124 and discover\$ with network with configur\$ and protocols and database USPAT; US-PCPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PCPUB; EPO;			with configurs and protocors		09:49
134					
With configur\$ and protocols and database				1	
Sed	4	134		USPAT;	2004/06/21
Series			with configur\$ and protocols and database		11:48
Sead<20010124 and discover\$ with network and database same (list or table) IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; II:51 EPO; JPO; DERWENT; IBM TDB USPAT; U					
13					
and database same (list or table) S-PGPUB; EPO; JPO; DERWENNT; IBM TDB USPAT; US-PGPUB; EPO; JPO; with database same (list or table) and query and (store or stored) and export with database same (list or table) and export with database and lsp	5	472	@ad<20010124 and discovers with network		2004/06/21
6 13 @ad<20010124 and discover\$ with network and database same (list or table) and query and (store or stored) and export bith database and list or table) and query and (store or stored) and export bith database and list or table) and query and (store or stored) and export bith database and list or table) and query and (store or stored) and export with database and list or table) and query and (store or stored) and export with database same (list or table) and query and (store or stored) and export with databases and export with database same rout\$ near (list or table) and query and (store or stored) and export with databases 10 1 @ad<20010124 and database same rout\$ near (list or table) and query and (store or stored) and export with databases 10 @ad<20010124 and database same rout\$ near (list or table) and query and (store or stored) and export with databases 11 @ad<20010124 and database same rout\$ near (list or table) and (store or stored) and export with databases 12 @ad<20010124 and database same rout\$ near (list or table) and (store or stored) and export with databases 13 @ad<20010124 and database same rout\$ near (list or table) and (store or stored) and export with databases 14 @ad<20010124 and database same rout\$ near (list or table) and (store or stored) and export with databases 15 @ad<20010124 and database same rout\$ near (list or table) and (store or stored) and export with databases	-	• • • • • • • • • • • • • • • • • • •			1 1
Semant S			,,		
13					
and database same (list or table) and query and (store or stored) and export with database 7		1.	0-4/20010124 4 4 4 1/11 1/12	_	2004/06/27
query and (store or stored) and export with database 7 0 @ad<20010124 and database same (list or table) and query and (store or stored) and export with database and lsp 8 191 @ad<20010124 and database same (list or table) and query and (store or stored) and export with database 9 191 @ad<20010124 and database same (list or table) and query and (store or stored) and export with database 10 1 @ad<20010124 and database same (list or table) and query and (store or stored) and export with databases 10 1 @ad<20010124 and database same rout\$ near (list or table) and query and (store or stored) and export with databases 11 1 0 @ad<20010124 and database same rout\$ near (list or table) and query and (store or stored) and export with databases 11 0 0 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	ا	13			1 ' '
with database With database DERWENT; IBM TDB USPAT; US-PGPUB; IBM TDB USPAT; US-PGPUB; IBM TDB USPAT;					11:51
0 Gad<20010124 and database same (list or table) and query and (store or stored) and export with database and 1sp 8 191 Gad<20010124 and database same (list or table) and query and (store or stored) and export with database 9 191 Gad<20010124 and database same (list or table) and query and (store or stored) and export with database 10 10 Gad<20010124 and database same (list or table) and query and (store or stored) and export with databases 10 Cad<20010124 and database same rout\$ near (list or table) and query and (store or stored) and export with databases 10 Cad<20010124 and database same rout\$ near (list or table) and query and (store or stored) and export with databases 11 Cad<20010124 and database same rout\$ near (list or table) and (store or stored) and export with databases 12 Caud/06/21 US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; ISM TDB USPAT; U		-			
table) and query and (store or stored) and export with database and lsp 8 191 @ad<20010124 and database same (list or table) and query and (store or stored) and export with database 9 191 @ad<20010124 and database same (list or table) and query and (store or stored) and export with database 10 1 @ad<20010124 and database same (list or table) and query and (store or stored) and export with databases 10 2 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0			,		
and export with database and lsp Below Derwent; IBM_TDB USPAT; US-PGPUB; and export with database 9 191 @ad<20010124 and database same (list or table) and query and (store or stored) and export with database 191 @ad<20010124 and database same (list or table) and query and (store or stored) and export with databases 10 1 @ad<20010124 and database same rout\$ near (list or table) and query and (store or stored) stored) and export with databases 10 2004/06/21 11:51 10 2004/06/21 11:51 11 2004/06/21 11:53 2004/06/21 11:53 2004/06/21 11:53 2004/06/21 11:55 EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; IBM_TDB	7	0		USPĀT;	
Berwent; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; IBM TDB USP					11:51
8 191 @ad<20010124 and database same (list or table) and query and (store or stored) and export with database 9 191 @ad<20010124 and database same (list or table) and query and (store or stored) and export with databases 10 1 @ad<20010124 and database same rout\$ near (list or table) and query and (store or stored) and export with databases 10 1 @ad<20010124 and database same rout\$ near (list or table) and query and (store or stored) and export with databases 11 1 @ad<20010124 and database same rout\$ near (list or table) and (store or stored) and export with databases 12 004/06/21 11:51 2004/06/21 2004/06			and export with database and isp		,
8 191 @ad<20010124 and database same (list or table) and query and (store or stored) and export with database 9 191 @ad<20010124 and database same (list or table) and query and (store or stored) and export with databases 10 1 @ad<20010124 and database same rout\$ near (list or table) and query and (store or stored) and export with databases 10 1 @ad<20010124 and database same rout\$ near (list or table) and query and (store or stored) and export with databases 11 1 @ad<20010124 and database same rout\$ near (list or table) and (store or stored) and export with databases 12 0 04/06/21 11:51 13 2004/06/21 11:53 2004/06/21 11:53 2004/06/21 11:53 2004/06/21 11:53 2004/06/21 11:53 2004/06/21 11:53 2004/06/21 11:55 2004/06/21 11:55				1	
table) and query and (store or stored) and export with database 9 191 @ad<20010124 and database same (list or table) and query and (store or stored) and export with databases 10 1 @ad<20010124 and database same rout\$ near (list or table) and query and (store or stored) stored) and export with databases 11 1 @ad<20010124 and database same rout\$ near (list or table) and query and (store or stored) stored) and export with databases 12 2004/06/21 11:51 13 2004/06/21 11:53 11:51 12 2004/06/21 11:53 13 2004/06/21 11:53 14 2004/06/21 15 3 2004/06/21 15 3 2004/06/21 11:55 15 2004/06/21 11:55 16 2004/06/21 11:55 17 2004/06/21 18 2004/06/21 19 2004/06/21 19 2004/06/21 19 2004/06/21 19 2004/06/21 20 2004/06/21	8	191	@ad<20010124 and database same (list or		2004/06/21
9 191 @ad<20010124 and database same (list or table) and query and (store or stored) and export with databases 10 1 @ad<20010124 and database same rout\$ near (list or table) and query and (store or stored) and export with databases 11 1 @ad<20010124 and database same rout\$ near (list or table) and query and (store or stored) and export with databases 12 2004/06/21 US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; II:53 EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; IBM_TDB USPAT; US-PGPUB; IBM_TDB USPAT; US-PGPUB; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; EPO; JPO; DERWENT;				US-PGPUB;	
9 191 @ad<20010124 and database same (list or table) and query and (store or stored) us-PGPUB; and export with databases 10 1 @ad<20010124 and database same rout\$ near (list or table) and query and (store or stored) us-PGPUB; EPO; JPO; DERWENT; IBM_TDB us-PGPUB; II:55			and export with database		
9 191 @ad<20010124 and database same (list or table) and query and (store or stored) USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB 10 1 @ad<20010124 and database same rout\$ near (list or table) and query and (store or stored) USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB 11 1 @ad<20010124 and databases Same rout\$ near (list or table) and export with databases 12					
table) and query and (store or stored) and export with databases 10	9	191	@ad<20010124 and database same (list or		2004/06/21
and export with databases 10 1 @ad<20010124 and database same rout\$ near (list or table) and query and (store or stored) and export with databases 11 1 @ad<20010124 and database same rout\$ near (list or table) and (store or stored) and export with databases 11 2 @ad<20010124 and database same rout\$ near (list or table) and (store or stored) and export with databases 2004/06/21 11:53 2004/06/21 11:55 EPO; JPO; DERWENT; DERWENT;		101	· ·	,	
1 @ad<20010124 and database same rout\$ near (list or table) and query and (store or stored) and export with databases 1 @ad<20010124 and database same rout\$ near (list or table) and (store or stored) and export with databases 1 @ad<20010124 and database same rout\$ near (list or table) and (store or stored) and export with databases 1 BM_TDB USPAT; IBM_TDB USPAT; USPAT					
10 1 @ad<20010124 and database same rout\$ near (list or table) and query and (store or stored) and export with databases 11 1 @ad<20010124 and database same rout\$ near (list or table) and (store or stored) and export with databases 12 004/06/21 11:53 13 2004/06/21 11:53 14 2004/06/21 11:55 15 2004/06/21 11:55 2004/06/21 11:55 2004/06/21 11:55 2004/06/21 11:55 2004/06/21 11:55					
(list or table) and query and (store or stored) and export with databases 11	10	a	0-4-20010104 4-4-4-	_	0004/06/07
stored) and export with databases EPO; JPO; DERWENT; IBM_TDB USPAT; (list or table) and (store or stored) and export with databases export with databases EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT;	1 10	1	0		
DERWENT; IBM_TDB USPAT; (list or table) and (store or stored) and export with databases DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;				1	11.00
1			and		
(list or table) and (store or stored) and US-PGPUB; export with databases EPO; JPO; DERWENT;				_	
export with databases EPO; JPO; DERWENT;	11	1		1	
DERWENT;				1	11:55
			evhore wrell decapases		
12 608 @ad<20010124 and database same rout\$ near USPAT; 2004/06/21	12	608	l ·		2004/06/21
(list or table) US-PGPUB; 11:55			(list or table)		11:55
EPO; JPO;					
DERWENT;				1	
13 67 @ad<20010124 and database same rout\$ near USPAT; 2004/06/21	13	67	@ad<20010124 and database same rout\$ near		2004/06/21
(list or table) same store US-PGPUB; 11:55					
EPO; JPO;				EPO; JPO;	
DERWENT;				1	
	14	1		_	2004/06/21
14 1 @ad<20010124 and database same rout\$ near USPAT; 2004/06/21 (list or table) same store same share US-PGPUB; 12:00		1			
EPO; JPO;			1111 of same, banc beste same share	· ·	
DERWENT;					
IBM TDB				IBM TDB	

Page 1

Search History 6/21/04 4:41:20 PM

			·	
15	3	@ad<20010124 and database same rout\$ near	USPAT;	2004/06/21
		(list or table) and database same store	US-PGPUB;	12:02
		same share	EPO; JPO;	
			DERWENT;	
1,6	176	A-4 (20010124 and database and 1-n	IBM_TDB	2004/06/21
16	1/6	@ad<20010124 and database and lsp	USPAT; US-PGPUB;	2004/06/21
			EPO; JPO;	12:02
		-	DERWENT;	
			IBM TDB	
17	176	@ad<20010124 and databases and lsp	USPAT;	2004/06/21
1 '	1,0	Gad\20010124 and databases and isp	US-PGPUB;	12:02
			EPO; JPO;	12.02
			DERWENT;	
	i		IBM TDB	•
18	3	@ad<20010124 and databases and lsp and	USPAT;	2004/06/21
		import and export	US-PGPUB;	12:07
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
19	360	•	USPAT;	2004/06/21
		near (table or list)	US-PGPUB;	12:08
			EPO; JPO;	
1			DERWENT;	
	1	0-4,00010104 4 4-6-1	IBM_TDB	2004/06/21
20	126	 	USPAT;	2004/06/21
	1	near (table or list) and share	US-PGPUB; EPO; JPO;	12:09
			DERWENT;	
ŀ			IBM TDB	
21	0	@ad<20010124 and databases with rout\$	USPAT;	2004/06/21
21	1	near (table or list) and share and 1sd	US-PGPUB;	12:09
	1	inear (table of 115t) and shale and 15d	EPO; JPO;	12.03
	1		DERWENT;	
			IBM TDB	
22	65	@ad<20010124 and databases with rout\$	USPAT;	2004/06/21
		near (table or list) and share and query\$	US-PGPUB;	12:28
		, , , , , , , , , , , , , , , , , , , ,	EPO; JPO;	
			DERWENT;	
	1		IBM_TDB	
23	20822	@ad<20010124 and (list or table) with	USPAT;	2004/06/21
	1	database	US-PGPUB;	12:28
			EPO; JPO;	
	1		DERWENT;	
1 24	1	0-4/20010124 /14/55 5-1/1-1 /1	IBM_TDB	2004/06/21
24	131	@ad<20010124 and (list or table) with	USPAT;	2004/06/21
		share with database	US-PGPUB;	12:29
1	1		EPO; JPO; DERWENT;	
			IBM TDB	
25	69	@ad<20010124 and (list or table) with	USPAT;	2004/06/21
~~		share with database and query\$	US-PGPUB;	12:29
Ì			EPO; JPO;	
	1		DERWENT;	
	1		IBM TDB	
26	69		USPAT;	2004/06/21
		(list or table) and query\$	US-PGPUB;	12:30
			EPO; JPO;	
			DERWENT;	
1	}		IBM_TDB	
27	32		USPAT;	2004/06/21
	-	(list or table) and query\$ and network	US-PGPUB;	12:32
		·	EPO; JPO;	
	1		DERWENT;	
1,0	1 200	00d<20010124	IBM_TDB	2004/06/21
28	293	@ad<20010124 and database with routing near (list or table)	USPAT; US-PGPUB;	2004/06/21 12:32
	1		EPO; JPO;	14.54
			DERWENT;	
			IBM TDB	
L		I		L

29	108	<pre>@ad<20010124 and database with routing near (list or table) and (share or (import and export))</pre>	USPAT; US-PGPUB; EPO; JPO;	2004/06/21 12:52
30	26	@ad<20010124 and database with routing	DERWENT; IBM_TDB USPAT;	2004/06/21
	20	near (list or table) and (share or (import and export)) same databases	US-PGPUB; EPO; JPO; DERWENT; IBM TDB	12:40
31	2	("5,251,205").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/21 12:42
32	0	5251205.pn. and link with state same database	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/21 12:42
33	10	<pre>@ad<20010124 and database with routing near (list or table) and ((import and export))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/21 12:53
34	76	<pre>@ad<20010124 and database with routing near (list or table) and ((import and export) or distribute)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/21 12:53
35		<pre>@ad<20010124 and database with routing near (list or table) and ((import and export) or distribute) same database</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/21 13:00
36		@ad<20010124 and database and lsp	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/21 15:11
37	1	@ad<20010124 and DNS with protocol and SRV and MX and NS and Authority	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/21 15:12
39	50	<pre>@ad<20010124 and DNS same protocol same (SRV or MX or NS or Authority)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/21 15:12
38	27	<pre>@ad<20010124 and DNS with protocol same (SRV or MX or NS or Authority)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/21 15:59
40	3	@ad<20010124 and DNS with SRV with Record same protocol and discover\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/21 15:25
45	8	("4644468" "4924493" "5590118" "5926101" "6104695" "6119170" "6130881" "6282170").PN.	USPAT	2004/06/21 15:59
46	0	("4644468" "4924493" "5590118" "5926101" "6104695" "6119170" "6130881" "6282170").PN. and SRV	USPAT	2004/06/21 15:59
47	0	("4644468" "4924493" "5590118" "5926101" "6104695" "6119170" "6130881" "6282170").PN. and DNS	USPAT	2004/06/21 15:59

48	3289	@ad<20010124 and DNS with (SRV or MX or	USPAT;	2004/06/21
		NS or name adj server or Authority)	US-PGPUB;	16:00
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
49	35	@ad<20010124 and DNS with (SRV or MX)	USPAT;	2004/06/21
			US-PGPUB;	16:00
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	2	("20020099814").PN.	USPAT;	2004/06/18
			US-PGPUB;	14:42
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	474	@ad<20010124 and discover\$ with network	USPAT;	2004/06/18
		same protocols	US-PGPUB;	14:43
			EPO; JPO;	1
			DERWENT;	1
	71	8-4-20010124 di	IBM_TDB	2004/06/21
-	/1	@ad<20010124 and discover\$ with network	USPAT;	2004/06/21
		with configur\$ same protocols	US-PGPUB;	09.34
			EPO; JPO; DERWENT;	
			IBM TDB	